

LISTADO EFICIENCIA ENERGETICA 2014

Marca	Modelo	Código OCDE	Motor	Otros datos ensayo	Potencia (kW)	Ckt	Clase de eficiencia
Case IH	JX 1075 C (4WD)	no asignado	IVECO 8035.25	4RM, 40 km/h, 16+16	47,6	0,340	A
Case IH	JX 70 (4RM)	2-2147	IVECO 8035.25C	4RM, 30 km/h, 12+12	47,3	0,342	A
Case IH	JX 90 (2RM)	2-2177	IVECO 8045.25	2RM, 30 km/h, 12+12	64,2	0,332	A
Case IH	JX 90 (4WD)	2-2509	CNH 445TA/MNF	4RM, 30 km/h, 12+12	54,2	0,329	A
Case IH	JX 95 (2RM)	2-2191	IVECO 8045.25L	2RM, 30 km/h, 12+12	67	0,314	A
Case IH	JX 95 (4RM)	2-2172	IVECO 8045.25L	4RM, 30 km/h, 12+12	67	0,314	A
Case IH	JX 95 (4WD)	2-2510	CNH 445TA/MNE	4RM, 30 km/h, 12+12	60,2	0,333	A
Case IH	MAGNUM 290	2-2713	FPT Cursor 9L	4RM, 40 km/h, 19+4	185,26	0,316	A
Case IH	MAGNUM 315	2-2712	FPT Cursor 9L	4RM, 40 km/h, 19+4	202,42	0,312	A
Case IH	PUMA 170	2-2609	IVECO F4DFE613L	4RM, 50 km/h, 19+6	112,5	0,325	A
Case IH	PUMA 185	2-2613	IVECO F4DFE613K	4RM, 40 km/h, 19+6	123,4	0,317	A
Case IH	PUMA 200	2-2615	IVECO F4DFE613J	4RM, 50 km/h, 19+6	132	0,321	A
Case IH	PUMA 215	2-2638	IVECO F4DFE613H	4RM, 40 km/h, 19+6	142,9	0,305	A
Case IH	PUMA 230 CVX	2-2645	IVECO F4DFE613G	4RM, 50 km/h, continuo	146,1	0,325	A
Case IH	QUANTUM 95C 4WD	no asignado	IVECO F4CE9484M	4RM, 40 km/h, 28+16	59,1	0,336	A
Case IH	QUANTUM 95N 4WD	no asignado	CNH 445TA/MND	4RM, 40 km/h, 16+16	62	0,319	A
Case IH	STEIGER 350	2-2725	FPT Cursor 9L	4RM, 40 km/h, 16+2	229,45	0,297	A
Case IH	CVX 195	no asignado	CNH WD620.64	4RM, 40 km/h, continuo	121	0,345	B
Case IH	FARMALL 115U	2-2803	FPT Industrial F5DFL413H	4RM, 40 km/h, 24+24	76,8	0,350	B
Case IH	FARMALL 85 C	2-2829	FPT Industrial F5DFL413L	4RM, 40 km/h, 12+12	53,2	0,360	B
Case IH	JX 110 4WD	2-2736	TTF 8045.25D.313T	4RM, 30 km/h, 12+12	65,2	0,364	B
Case IH	JX 70 (2RM)	2-2146	IVECO 8035.25C	2RM, 30 km/h, 12+12	44,2	0,356	B
Case IH	JX 70 (4RM)	2-2148	IVECO 8035.25C	4RM, 40 km/h, 12+12	47,3	0,360	B
Case IH	JX 80 (2RM)	2-2174	IVECO 8045.05R	2RM, 30 km/h, 12+12	50,1	0,350	B
Case IH	JX 80 (4RM)	2-2175	IVECO 8045.05R	4RM, 30 km/h, 12+12	50,1	0,359	B
Case IH	JX 90 (4RM)	2-2178	IVECO 8045.25	4RM, 30 km/h, 12+12	64,2	0,349	B
Case IH	JX 95 4WD	no asignado	CNH 445TA/MNE	4RM, 40 km/h, 20+12	62,3	0,347	B
Case IH	JXU 105 2WD	2-2525	CNH 445TA/MLN	4RM, 30 km/h, 12+12	69,5	0,345	B
Case IH	JXU 105 4WD	no asignado	CNH 445TA/MLN	4RM, 40 km/h, 24+24	67,1	0,346	B
Case IH	JXU 95 2WD	2-2505	CNH 445TA/MND	2RM, 30 km/h, 12+12	64	0,358	B
Case IH	MAGNUM 235	2-2710	FPT Cursor 9L	4RM, 40 km/h, 19+4	148,29	0,335	B
Case IH	MAGNUM 260	2-2711	FPT Cursor 9L	4RM, 40 km/h, 19+4	164,04	0,330	B
Case IH	MAXXUM 110 4WD	2-2444	CNH 445TA/EGJ	4RM, 40 km/h, 16+16	73,8	0,360	B
Case IH	MAXXUM 110 4WD	2-2452	CNH 445TA/MLM	4RM, 40 km/h, 24+24	70,7	0,364	B
Case IH	MAXXUM 110 4WD	2-2445-1	CNH 445TA/MLM	4RM, 40 km/h, 12+12	72	0,348	B
Case IH	MAXXUM 115 4WD	2-2428-1	CNH 667TA/MEA	4RM, 40 km/h, 16+16	83	0,357	B
Case IH	MAXXUM 125 4WD	2-2487	CNH 667TA/MEK	4RM, 40 km/h, 16+16	86,9	0,360	B
Case IH	MAXXUM 130 4WD	2-2483	CNH 445TA/EGA	4RM, 40 km/h, 16+16	82,5	0,357	B
Case IH	MAXXUM 140 4WD	2-2448	CNH 667TA/EEL	4RM, 40 km/h, 16+16	94,8	0,338	B
Case IH	MXM 175	2-2143	CNH 675TA/FB	4RM, 50 km/h, 19+6	112,8	0,338	B
Case IH	MXM 190	2-2145	CNH 675TA/FA	4RM, 50 km/h, 19+6	122	0,338	B
Case IH	PUMA 115 4WD	2-2480	CNH 667TA/EDF	4RM, 40 km/h, 18+6	76,2	0,358	B
Case IH	PUMA 130	2-2644	IVECO F4DFE613D	4RM, 40 km/h, 18+18	92,5	0,343	B
Case IH	PUMA 155 4WD	no asignado	CNH 667TA/EEJ	4RM, 40 km/h, 18+6	98,3	0,344	B
Case IH	PUMA 160	2-2653	IVECO F4DFE613A	4RM, 40 km/h, continuo	107,6	0,341	B
Case IH	PUMA 180	2-2423	CNH 667TA/EBE	4RM, 40 km/h, 19+6	118,3	0,345	B

LISTADO EFICIENCIA ENERGETICA 2014

Case IH	PUMA 180	no asignado	CNH 667TA/EBE	4RM, 40 km/h, 18+6	115,3	0,354	B
Case IH	PUMA 210	2-2427	CNH 667TA/EBH	4RM, 40 km/h, 19+6	142	0,330	B
Case IH	QUANTUM 95C 4WD	2-2461	IVECO F4CE9484M	4RM, 40 km/h, 16+16	67	0,354	B
Case IH	FARMALL 105 C	2-2813	FPT Industrial F5DFL413J	4RM, 40 km/h, 12+12	70,4	0,384	C
Case IH	FARMALL 105U	2-2805	FPT Industrial F5DFL413J	4RM, 40 km/h, 12+12	72	0,380	C
Case IH	FARMALL 115C	2-2839	FPT Industrial F5DFL413H	4RM, 40 km/h, 12+12	73,6+H443	0,383	C
Case IH	JX 1100 U 4WD	no asignado	CNH F4CE0454E*D681	4RM, 40 km/h, 12+12	65,1	0,373	C
Case IH	JX 80 (4RM)	2-2176	IVECO 8045.05R	4RM, 40 km/h, 12+12	50,1	0,372	C
Case IH	JXU 105 4WD	2-2526	CNH 445TA/MLN	4RM, 30 km/h, 12+12	69,1	0,373	C
Case IH	JXU 85 2WD	2-2501	CNH 445TA/MNG	2RM, 30 km/h, 12+12	50,9	0,392	C
Case IH	JXU 95 4WD	2-2507	CNH 445TA/MND	4RM, 40 km/h, 12+12	59,9	0,389	C
Case IH	MAXXUM 100 4WD	no asignado	CNH 445T/MMM	4RM, 40 km/h, 16+16	64,1	0,377	C
Case IH	MAXXUM 115 4WD (MC)	2-2451	CNH 667TA/EDF	4RM, 40 km/h, 16+16	73,5	0,372	C
Case IH	MAXXUM 115 4WD (X)	2-2489	CNH 667TA/MEA	4RM, 40 km/h, 16+16	80,4	0,366	C
Case IH	MAXXUM 120 4WD (MC)	2-2482	CNH 445TA/EGK	4RM, 40 km/h, 17+16	76	0,368	C
Case IH	MAXXUM 125 4WD (MC)	2-2449	CNH 667TA/EDD	4RM, 40 km/h, 17+16	82	0,365	C
Case IH	MAXXUM 125 4WD (VALUE)	2-2442	CNH 667TA/MEK	4RM, 40 km/h, 16+16	85,6	0,365	C
Case IH	MXM 130	2-2088	CNH 675TA/HC	4RM, 40 km/h, 18+6	84,5	0,370	C
Case IH	MXM 155	2-2121	CNH 675TA/HA	4RM, 40 km/h, 18+6	98,1	0,374	C
Case IH	PUMA 125 4WD	2-2470	CNH 667TA/EDD	4RM, 40 km/h, 18+6	84,3	0,372	C
Case IH	PUMA 140 (MC)	2-2495	CNH 667TA/EEK	4RM, 40 km/h, 19+6	90,6	0,363	C
Case IH	PUMA 155 4WD	2-2471	CNH 667TA/EEJ	4RM, 50 km/h, 19+6	101,5	0,369	C
Case IH	PUMA 165	no asignado	CNH 667TA/EBN	4RM, 40 km/h, 18+6	105,9	0,360	C
Case IH	PUMA 195	2-2425	CNH 667TA/EBC	4RM, 50 km/h, 19+6	127,7	0,359	C
Case IH	QUANTUM 65C 4WD	2-2468	IVECO F5AE9484A	4RM, 40 km/h, 16+16	44	0,373	C
Case IH	QUANTUM 85C 4WD	2-2479	IVECO F4CE9484N	4RM, 40 km/h, 16+16	56	0,377	C
Case IH	JX 1080 U 4WD	no asignado	CNH F4CE0404C*D681	4RM, 40 km/h, 12+12	53,4	0,395	D
Case IH	JX 1090 U 2WD	no asignado	CNH F4CE0454E*D681	2RM, 30 km/h, 12+12	61,6	0,405	D
Case IH	JXU 85 4WD	2-2503	CNH 445TA/MNG	4RM, 30 km/h, 12+12	53	0,399	D
Case IH	MAGNUM 335	2-1936	CNH 6TAA-9004	4RM, 40 km/h, 19+4	204,3	0,369	D
Case IH	MAXXUM 140 4WD (X)	no asignado	CNH 667TA/MEJ	4RM, 50 km/h, 17+16	95,5	0,387	D
Case IH	MXM 120	2-2086	CNH 675TA/HD	4RM, 40 km/h, 18+6	75,1	0,395	D
Case IH	MXM 140	2-2119	CNH 675TA/HB	4RM, 40 km/h, 18+6	89,3	0,381	D
Case IH	MXU 115	2-2228	CNH F4CE0684C*D	4RM, 40 km/h, 24+24	75,3	0,396	D
Case IH	QUANTUM 75C 4WD	2-2456	IVECO F5AE9484B	4RM, 40 km/h, 16+16	49,6	0,396	D
Case IH	FARMALL 75 C	2-2750	FPT Industrial F5AE9454K	2RM, 30 km/h, 8+8	46,9	0,484	E
Case IH	FARMALL 95 C	2-2809	FPT Industrial F5DFL413K	4RM, 40 km/h, 12+12	61,7	0,414	E
Case IH	JX 1090 U 4WD	no asignado	CNH F4CE0454E*D681	4RM, 40 km/h, 12+12	61,6	0,417	E
Case IH	MAXXUM 100 4WD (X)	2-2491	CNH 445TA/MMM	4RM, 40 km/h, 24+24	66,2	0,417	E
Case IH	PUMA 165	2-2410	CNH 667TA/EBN	4RM, 50 km/h, 19+6	104,2	0,402	E
Challenger	MT 535D	2-2773	AGCO POWER 66 AWI 810	4RM, 40 km/h, continuo	96,1	0,335	A
Challenger	MT 545D	2-2775	AGCO POWER 66 AWI 695	4RM, 40 km/h, continuo	102,1	0,333	A
Challenger	MT 555D	2-2758	SISU AGCO POWER 66 AWI 697	4RM, 40 km/h, 24+24	108,5	0,329	A
Challenger	MT 565D	2-2704	SISU AGCO POWER 66 AWI 770	4RM, 40 km/h, continuo	121	0,313	A
Challenger	MT 565D	2-2756	SISU AGCO POWER 66 AWI 698	4RM, 40 km/h, 24+24	116,9	0,320	A
Challenger	MT 585D	2-2757	SISU AGCO POWER 74 AWI 691	4RM, 40 km/h, 24+24	138,7	0,318	A
Challenger	MT 595D	2-2755	SISU AGCO POWER 74 AWI 692	4RM, 40 km/h, 24+24	153,5	0,309	A
Challenger	MT 485D	2-2794	AGCO POWER 49 AWI 895	4RM, 40 km/h, continuo	89,3	0,341	B

LISTADO EFICIENCIA ENERGETICA 2014

Challenger	MT 495D	2-2792	AGCO POWER 49 AWI 893	4RM, 40 km/h, continuo	95,1	0,340	B
Challenger	MT 515D	2-2754	SISU AGCO POWER 66 AWI 813	4RM, 40 km/h, 16+16	90,4	0,343	B
Challenger	MT 525D	2-2753	SISU AGCO POWER 66 AWI 811	4RM, 40 km/h, 16+16	94,8	0,338	B
Challenger	MT 525D	2-2774	AGCO POWER 66 AWI 812	4RM, 40 km/h, continuo	90,3	0,341	B
Challenger	MT 525D	2-2791	AGCO POWER 66 AWI 693	4RM, 40 km/h, 24+24	88,9	0,344	B
Challenger	MT 475 D	2-2793	AGGO POWER 49 AWI 898	4RM, 40 km/h, continuo	82	0,380	C
Challenger	MT865B	2-2339	CATERPILLAR C-18 (TIER III)	cadena de goma, 40 km/h,16+	339,75	0,325	C
Challenger	MT765B	2-2338	CATERPILLAR C-9 (TIER III)	cadena de goma, 40 km/h,16+	198,2	0,359	D
Challenger	MT835B	2-2341	CATERPILLAR C-14 (TIER III)	cadena de goma, 40 km/h,16+	233,45	0,367	D
Challenger	MT845B	2-2342	CATERPILLAR C-15 (TIER III)	cadena de goma, 40 km/h,16+	268,1	0,357	D
Challenger	MT855B	2-2343	CATERPILLAR C-15 (TIER III)	cadena de goma, 40 km/h,16+	307,42	0,357	E
Claas	Ares 836 (TIPO H44)	2-2109	JOHN DEERE DPS 6068 HRT 72	4RM, 40 km/h, 32+32	125,9	0,317	A
Claas	Ares 547	2-2284	JOHN DEERE DPS 4045 TRT 73	4RM, 40 km/h, 24+24	55,5	0,363	B
Claas	Ares 557	2-2285	JOHN DEERE DPS 4045 HRT 70	4RM, 40 km/h, 24+24	63,4	0,345	B
Claas	Ares 567	2-2286	JOHN DEERE DPS 4045 HRT 71	4RM, 40 km/h, 24+24	66,2	0,353	B
Claas	Ares 577	2-2287	JOHN DEERE DPS 4045 HRT 72	4RM, 40 km/h, 24+24	72,6	0,355	B
Claas	Ares 826 (TIPO H44)	2-2129	JOHN DEERE DPS 6068 HRT 71	4RM, 40 km/h, 32+32	108,4	0,339	B
Claas	Celtis 456 4RM	2-2063	JOHN DEERE 4045 TRT 72	4RM, 40 km/h, 20+20	64,3	0,345	B
Claas	Ares 616	2-2106	JOHN DEERE 6068 TRT 70	4RM, 40 km/h, 32+32	68,5	0,384	C
Claas	Ares 617	2-2293	JOHN DEERE DPS 6068 TRT 70	4RM, 40 km/h, 24+24	74,8	0,362	C
Claas	Ares 656	2-2107	JOHN DEERE 6068 TRT 71	4RM, 40 km/h, 32+32	78,1	0,363	C
Claas	Ares 657	2-2294	JOHN DEERE DPS 6068 TRT 71	4RM, 40 km/h, 24+24	78,7	0,364	C
Claas	Ares 697	2-2295	JOHN DEERE DPS 6068 TRT 73	4RM, 40 km/h, 24+24	83,1	0,371	C
Claas	Ares 816	2-2108	JOHN DEERE DPS 6068 HRT 70	4RM, 40 km/h, 32+32	93,5	0,362	C
Claas	Atlas 946	2-2299	DEUTZ BF6M1013FC code CE 205 T	4RM, 40 km/h, 18+8	181,4	0,344	C
Claas	Atlas 926	2-2154	DEUTZ BF6M1013FC code 169T	4RM, 40 km/h, 18+8	133	0,384	D
Claas	Atlas 936	2-2155	DEUTZ BF6M1013FC code 186T	4RM, 40 km/h, 18+8	151,6	0,372	D
Claas	Celtis 426 4RM	2-2219	JOHN DEERE 4045 DRT 76	4RM, 40 km/h, 20+20	46,9	0,412	D
Claas	Celtis 446 4RM	2-2226	JOHN DEERE 4045 TRT 78	4RM, 40 km/h, 20+20	54,6	0,407	D
Claas	Celtis 436 4RM	2-2220	JOHN DEERE 4045 TRT 77	4RM, 40 km/h, 20+20	53,2	0,422	E
Deutz-Fahr	AGROLUX 320	no asignado	SDFI 1000.3WTI1E3	4RM, 40 km/h, 15+15	48,2	0,325	A
Deutz-Fahr	AGROPLUS F 320 ECOLINE	no asignado	SDFI 1000.3WTI2E3	4RM, 40 km/h, 30+15	55,1	0,339	A
Deutz-Fahr	AGROTRON TTV620	no asignado	DEUTZ TCD2012L06 4V Code C3CT124	4RM, 40 km/h, continuo	96,9	0,328	A
Deutz-Fahr	AGROTRON TTV630	no asignado	DEUTZ TCD2012L06 4V Code C3CT163	4RM, 40 km/h, continuo	118,9	0,312	A
Deutz-Fahr	Agroplus F 420	no asignado	SDFI 1000.4WTI2E3	4RM, 40 km/h, 30+15	58,7	0,364	B
Deutz-Fahr	Agrotron M640	no asignado	DEUTZ TCD2012L06 4V Code C3CT129	4RM, 40 km/h, 40+40	102,2	0,357	B
Deutz-Fahr	AGROTRON X720	no asignado	TCD 2013 L06 4V C3CT191	4RM, 40 km/h, 40+40	160,3	0,332	B
Deutz-Fahr	Agrofarm 100 DT	no asignado	DEUTZ BF4M2012 Code CE 71T	4RM, 40 km/h, 40+40	57,76	0,389	C
Deutz-Fahr	Agroplus S 410	no asignado	SDFI 1000.4WTI1E3	4RM, 40 km/h, 30+15	51,8	0,389	C
Deutz-Fahr	Agrotron K110	no asignado	DEUTZ BF6M2012C Code 79T	4RM, 40 km/h, 24+8	71,87	0,375	C
Deutz-Fahr	Agrotron M650	no asignado	DEUTZ TCD2012L06 4V Code C3CT135	4RM, 40 km/h, 40+40	111,1	0,362	C
Deutz-Fahr	Agrotron X710	no asignado	DEUTZ TCD2013L06 4V Code C3CT179	4RM, 40 km/h, 40+40	151,1	0,359	C
Deutz-Fahr	Agrofarm 420 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62,9	0,392	D
Deutz-Fahr	Agrofarm 420 TB	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62	0,397	D
Deutz-Fahr	Agrofarm 430 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT74	4RM, 40 km/h, 20+20	63,4	0,395	D
Deutz-Fahr	Agrotron K420	no asignado	DEUTZ TCD2012L04 2V Code C3MT82	4RM, 40 km/h, 36+12	71,1	0,390	D
Deutz-Fahr	Agrotron K430	no asignado	DEUTZ TCD2012L04 2V Code C3UT93	4RM, 40 km/h, 36+12	76,3	0,393	D
Deutz-Fahr	Agrotron M600	no asignado	DEUTZ TCD2012L06 2V Code C3UT96A	4RM, 40 km/h, 40+40	82,1	0,397	D

LISTADO EFICIENCIA ENERGETICA 2014

Deutz-Fahr	Agrotron M610	no asignado	DEUTZ TCD2012L06 2V Code C3UT104A	4RM, 40 km/h, 40+40	87,4	0,392	D
Deutz-Fahr	Agrotron M620	no asignado	DEUTZ TCD2012L06 2V Code C3UT120A	4RM, 40 km/h, 40+40	105,4	0,385	D
Deutz-Fahr	Agrokid 430 4WD	no asignado	MITSUBISHI S4L2-T	4RM, 30 km/h, 12+12	30,7	0,429	E
Deutz-Fahr	Agrotron L720	no asignado	DEUTZ TCD2013L06 2V Code C3UT157	4RM, 40 km/h, 27+27	132,8	0,399	E
Dongfanghong	1204	no asignado	DONGFANGHONG LR6108T1	4RM, 30 km/h, 12+4	77,93	0,341	A
Dongfeng	300	no asignado	CHANGCHAI ZN390T	2RM, 30 km/h, 8+2	20,42	0,354	B
Dongfeng	304	no asignado	CHANGCHAI ZN390T	4RM, 30 km/h, 8+2	21,9	0,372	B
Dongfeng	354	no asignado	JIANGDONG TY395I	4RM, 30 km/h, 8+2	23,47	0,371	B
Dongfeng	350	no asignado	JIANGDONG TY395I	2RM, 30 km/h, 8+2	22,73	0,382	C
Dongfeng	254	no asignado	YANGDONG Y385T	4RM, 30 km/h, 8+2	16,15	0,423	D
Dongfeng	200	no asignado	YANGDONG Y380T	2RM, 30 km/h, 8+2	14,12	0,449	E
Dongfeng	204	no asignado	YANGDONG Y380T	4RM, 30 km/h, 8+2	13,45	0,452	E
Dongfeng	250	no asignado	YANGDONG Y385T	2RM, 30 km/h, 8+2	16,21	0,424	E
Fendt	718 VARIO	2-2541	DEUTZ TCD2012L06 4V Code C3CT133	4RM, 50 km/h, continuo	117,2	0,304	A
Fendt	724 VARIO SCR	2-2823	DEUTZ TCD6.1L6	4RM, 50 km/h, continuo	154,7	0,298	A
Fendt	818 VARIO	2-2540	DEUTZ TCD2012L06 4V Code C3CT137	4RM, 50 km/h, continuo	120	0,321	A
Fendt	820 VARIO	2-2535	DEUTZ TCD2012L06 4V Code C3CT152	4RM, 50 km/h, continuo	136,7	0,308	A
Fendt	828 VARIO SCR	2-2610	DEUTZ TCD 6.1 L6	4RM, 50 km/h, continuo	179,2	0,284	A
Fendt	924 VARIO	2-2545	DEUTZ TCD2013L06 4V Code C3CT172	4RM, 60 km/h, continuo	145,1	0,326	A
Fendt	927 VARIO	2-2544	DEUTZ TCD2013L06 4V Code C3CT194	4RM, 60 km/h, continuo	165,9	0,315	A
Fendt	930 VARIO	2-2542	DEUTZ TCD2013L06 4V Code C3CT217	4RM, 60 km/h, continuo	190,3	0,310	A
Fendt	933 VARIO	2-2543	DEUTZ TCD2013L06 4V Code C3CT238	4RM, 60 km/h, continuo	210,3	0,305	A
Fendt	936 Vario	2-2536	DEUTZ TCD2013L06 4V Code C3CT261	4RM, 60 km/h, continuo	245,1	0,290	A
Fendt	936 VARIO SCR	2-2779	DEUTZ TCD2013L06 4V	4RM, 60 km/h, continuo	242,54	0,282	A
Fendt	922 VARIO	2-2551	DEUTZ TCD2013L06 4V Code C3CT158	4RM, 60 km/h, continuo	133	0,330	B
HHJM	450	2-2383	FUJIAN LIJIA SL3015ABT2S	2RM, 30 km/h, 8+4	30,2	0,368	B
HHJM	300	2-2382	JIANGSU JIANGHUI TY395IT	2RM, 30 km/h, 8+2	20,41	0,385	C
HHJM	800	2-2386	WEIFANG HUAFONG POWER R4105IT19E	2RM, 30 km/h, 8+2	54,94	0,393	D
John Deere	7730	2-2404	JOHN DEERE PE6068HRW64	4RM, 40 km/h, 20+20	114,31	0,333	A
John Deere	7730	2-2453	JOHN DEERE 6068HL482	4RM, 40 km/h, 20+20	117,5	0,322	A
John Deere	7830	2-2405	JOHN DEERE PE6068HRW65	4RM, 40 km/h, 20+20	124,39	0,325	A
John Deere	7930	2-2408	JOHN DEERE PE6068HRW65	4RM, 40 km/h, 20+20	136,54	0,320	A
John Deere	8230	2-2377	JOHN DEERE 6090HRW02	4RM, 40 km/h, 16+4	151,87	0,313	A
John Deere	8330	2-2378	JOHN DEERE 6090HRW02	4RM, 40 km/h, 16+4	168,95	0,309	A
John Deere	8430	2-2379	JOHN DEERE 6090HRW08	4RM, 40 km/h, 16+4	188,7	0,304	A
John Deere	8430	2-2380	JOHN DEERE 6090HRW08	4RM, 40 km/h, continuo	188,67	0,309	A
John Deere	8530	2-2381	JOHN DEERE 6090HRW08	4RM, 40 km/h, continuo	206,95	0,302	A
John Deere	5085M 4WD	no asignado	DPS 4045HLV54	4RM, 40 km/h, 16+16	59,3	0,343	A
John Deere	5095M 4WD	no asignado	JOHN DEERE 4045HLV55	4RM, 40 km/h, 16+16	63,9	0,343	A
John Deere	5115M	2-2763	JOHN DEERE 4045HLV68	4RM, 30 km/h, 16+16	73,69	0,317	A
John Deere	6130D	2-2782	JOHN DEERE 4045HP057	4RM, 30 km/h, 9+9	78,25	0,333	A
John Deere	6130M 4WD	no asignado	JOHN DEERE 4045HL496B	4RM, 40 km/h, 24+24	81,3	0,337	A
John Deere	6140M	2-2820	JOHN DEERE 4045HL496	4RM, 40 km/h, 24+24	86,43	0,333	A
John Deere	6140M 4WD	no asignado	JOHN DEERE 4045HL496C	4RM, 40 km/h, 24+24	88,2	0,326	A
John Deere	6210R	2-2738	JOHN DEERE 6068RW403	4RM, 40 km/h, 20+20	133,57	0,325	A
John Deere	6930 Premium	no asignado	JOHN DEERE 6068HL487 (DD21815)	4RM, 40 km/h, 20+20	99,2	0,333	A
John Deere	7200R	2-2731	JOHN DEERE 6068RW401	4RM, 40 km/h, 20+20	126,73	0,326	A
John Deere	7215R	2-2718	JOHN DEERE 6068RW401	4RM, 40 km/h, 20+20	141,83	0,316	A

LISTADO EFICIENCIA ENERGETICA 2014

John Deere	7230R	2-2730	JOHN DEERE 6090RW401	4RM, 40 km/h, 20+20	144,19	0,322	A
John Deere	7260R	2-2729	JOHN DEERE 6090RW401	4RM, 40 km/h, continuo	164,25	0,302	A
John Deere	7280R	2-2728	JOHN DEERE 6090RW401	4RM, 40 km/h, continuo	177,48	0,311	A
John Deere	8225R	no asignado	JOHN DEERE 6090HRW64,66,68,70,72	4RM, 40 km/h, 16+4	141,9	0,321	A
John Deere	8245R	no asignado	JOHN DEERE 6090HRW47,49,51,53,55	4RM, 40 km/h, 16+4	155,5	0,306	A
John Deere	8260R	2-2684	JOHN DEERE 6090RW414	4RM, 40 km/h, 16+4	177,87	0,312	A
John Deere	8270R	no asignado	JOHN DEERE 6090HRW65,67,69,71,73	4RM, 40 km/h, 16+4	170,61	0,308	A
John Deere	8285R	2-2683	JOHN DEERE 6090RW414	4RM, 40 km/h, 16+4	191,9	0,306	A
John Deere	8295R	no asignado	JOHN DEERE 6090HRW48,50,52,54,56	4RM, 40 km/h, 16+4	186,9	0,299	A
John Deere	8310R	2-2680	JOHN DEERE 6090RW414	4RM, 40 km/h, 16+4	202,55	0,304	A
John Deere	8320R	no asignado	JOHN DEERE 6090HRW48,50,52,54,56	4RM, 40 km/h, 16+4	203,2	0,295	A
John Deere	8320RT	no asignado	JOHN DEERE 6090HRW48,50,52,54,56	cadenas de goma, 30 km/h, 16+	194,88	0,312	A
John Deere	8335R	2-2681	JOHN DEERE 6090RW414	4RM, 40 km/h, 16+4	228,63	0,292	A
John Deere	8345R	no asignado	JOHN DEERE 6090HRW48,50,52,54,56	4RM, 40 km/h, continuo	212,9	0,296	A
John Deere	8360R	2-2685	JOHN DEERE 6090RW414	4RM, 40 km/h, continuo	240	0,288	A
John Deere	6930	no asignado	JOHN DEERE 6068HL481 (DD21336)	4RM, 40 km/h, 20+20	99,4	0,337	B
John Deere	7430	no asignado	JOHN DEERE 6068HL488 (DD21816)	4RM, 40 km/h, 20+20	107,4	0,343	B
John Deere	7430	no asignado	DPS 6068HL488	4RM, 50 km/h, 24+24	107,4	0,343	B
John Deere	7430	no asignado	JOHN DEERE 6068HL488	4RM, 40 km/h, 20+20	107,4	0,343	B
John Deere	7530	2-2475	JOHN DEERE 6068HL482 (DD21338)	4RM, 50 km/h, continuo	118,9	0,344	B
John Deere	7630	2-2403	JOHN DEERE PE6068HRW64	4RM, 40 km/h, 20+20	105,63	0,340	B
John Deere	7930	2-2406	JOHN DEERE PE6068HRW65	4RM, 40 km/h, continuo	136,4	0,343	B
John Deere	5080G 4WD	no asignado	JOHN DEERE 4045HAT80 (DD21692)	4RM, 30 km/h, 12+12	53,2	0,359	B
John Deere	5080GF 4WD	no asignado	JOHN DEERE 4045HAT80 (DD21692)	4RM, 30 km/h, 12+12	52,3	0,365	B
John Deere	5080GV 4WD	no asignado	JOHN DEERE 4045HAT80 (DD21692)	4RM, 30 km/h, 12+12	52,3	0,366	B
John Deere	5080M 4WD	no asignado	JOHN DEERE 4045HL286 (DD21688)	4RM, 30 km/h, 16+16	51,8	0,360	B
John Deere	5090G 4WD	no asignado	JOHN DEERE 4045HAT81 (DD21693)	4RM, 30 km/h, 12+12	60,7	0,352	B
John Deere	5090GF 4WD	no asignado	JOHN DEERE 4045HAT81 (DD21693)	4RM, 30 km/h, 12+12	59,7	0,365	B
John Deere	5090GH 4WD	no asignado	JOHN DEERE 4045HAT81 (DD21693)	4RM, 30 km/h, 12+12	58,2	0,351	B
John Deere	5090M	no asignado	JOHN DEERE 4045HL286A (DD21689)	4RM, 30 km/h, 16+16	58,3	0,354	B
John Deere	5100GF 4WD	no asignado	JOHN DEERE 4045HAT82 (DD21694)	4RM, 30 km/h, 12+12	63,2	0,345	B
John Deere	5100GV 4WD	no asignado	JOHN DEERE 4045HAT82 (DD21694)	4RM, 30 km/h, 12+12	62,1	0,357	B
John Deere	5100M	no asignado	JOHN DEERE 4045HL286D (DD21764)	4RM, 30 km/h, 16+16	59,6	0,349	B
John Deere	6105M	2-2817	JOHN DEERE 4045HL497	4RM, 40 km/h, 24+24	65,49	0,362	B
John Deere	6115M	2-2818	JOHN DEERE 4045HL497C	4RM, 40 km/h, 24+24	71,87	0,357	B
John Deere	6125M	2-2819	JOHN DEERE 4045HL497	4RM, 40 km/h, 24+24	78,4	0,350	B
John Deere	6130D	2-2549	JOHN DEERE 4045HP052	4RM, 30 km/h, 9+9	80,76	0,347	B
John Deere	6140R	2-2785	JOHN DEERE 6068HL490	4RM, 40 km/h, 20+20	85,07	0,357	B
John Deere	6150M	2-2821	JOHN DEERE 6068HL490	4RM, 40 km/h, 20+20	92,79	0,353	B
John Deere	6170M	2-2822	JOHN DEERE 6068HL490	4RM, 40 km/h, 20+20	107,79	0,338	B
John Deere	6170R	2-2737	JOHN DEERE 6068RW403	4RM, 40 km/h, 20+20	106,85	0,339	B
John Deere	6190R	2-2739	JOHN DEERE 6068RW403	4RM, 40 km/h, 20+20	120,46	0,337	B
John Deere	6330 4WD	2-2417	JOHN DEERE 4045HL480 (DD21340)	4RM, 30 km/h, 16+16	65,4	0,353	B
John Deere	6330 Premium	no asignado	JOHN DEERE 4045HL482 (DD21813)	4RM, 40 km/h, 24+24	66,2	0,359	B
John Deere	6420 4WD	2-2007	JOHN DEERE 4045 HL271 (DD20212)	4RM, 40 km/h, 24+24	71,5	0,362	B
John Deere	6430 4WD	2-2418	JOHN DEERE 4045HL480 (DD21340)	4RM, 40 km/h, 24+24	74,3	0,353	B
John Deere	6630 4WD	no asignado	JOHN DEERE 6068HL480 (DD21334)	4RM, 40 km/h, 24+24	81,2	0,361	B
John Deere	6830 Premium	no asignado	JOHN DEERE 6068HL487 (DD21815)	4RM, 40 km/h, 20+20	91,7	0,343	B

LISTADO EFICIENCIA ENERGETICA 2014

John Deere	8230T	2-2369	JOHN DEERE 6090HRW02	cadena de goma, 30 km/h, 16-	151,28	0,342	B
John Deere	8330T	2-2370	JOHN DEERE 6090HRW02	cadena de goma, 30 km/h, 16-	177,2	0,325	B
John Deere	8345RT	no asignado	JOHN DEERE 6090HRW48,50,52,54,56	cadena de goma, 30 km/h, 16-	207,93	0,318	B
John Deere	5100R	no asignado	JOHN DEERE 4045HL284 (DD21703)	4RM, 40 km/h, 16+16	63,5	0,388	C
John Deere	6105R	2-2807	JOHN DEERE 4045HL497A	4RM, 40 km/h, 24+24	67,2	0,373	C
John Deere	6115D	2-2552	JOHN DEERE 4045HP052	4RM, 30 km/h, 9+9	73,86	0,365	C
John Deere	6115R	2-2808	JOHN DEERE 4045HL497A	4RM, 40 km/h, 24+24	71,14	0,370	C
John Deere	6125R	2-2804	JOHN DEERE 4045HL497A	4RM, 40 km/h, 24+24	76,69	0,372	C
John Deere	6230 4WD	2-2416	JOHN DEERE 4045HL480 (DD21340)	4RM, 30 km/h, 16+16	57,1	0,373	C
John Deere	6320 4WD	2-2125	JOHN DEERE 4045 HL270 (DD20211)	4RM, 40 km/h, 16+16	62,9	0,367	C
John Deere	6830 4WD	no asignado	JOHN DEERE 6068HL283	4RM, 40 km/h, 20+20	92,6	0,379	C
John Deere	6930 4WD	no asignado	JOHN DEERE 6068HL283 (DD21816)	4RM, 40 km/h, 20+20	99	0,359	C
John Deere	6534 4WD	no asignado	JOHN DEERE 4045HL288 (DD21810)	4RM, 40 km/h, 24+24	74,1	0,400	D
John Deere	6630 4WD	no asignado	JOHN DEERE 6068HL282 (DD21811)	4RM, 40 km/h, 16+16	82,1	0,406	D
John Deere	5090R	no asignado	JOHN DEERE 4045HL284 (DD21703)	4RM, 40 km/h, 16+16	56,4	0,418	E
John Deere	6230 4WD	no asignado	JOHN DEERE 4045HL287 (DD21808)	4RM, 40 km/h, 16+16	56	0,418	E
John Deere	6330 4WD	no asignado	JOHN DEERE 4045HL288	4RM, 40 km/h, 16+16	62,2	0,414	E
John Deere	6430 4WD	no asignado	JOHN DEERE 4045HL288 (DD21810)	4RM, 40 km/h, 24+24	70,3	0,413	E
Kioti	DK 451 R (4WD)	2-2372	DAEDONG 4A220LXB	4RM, 30 km/h, 12+12	25,3	0,440	E
Kioti	DK65S (4WD)	2-2384	PERKINS 1103C-33T	4RM, 30 km/h, 12+12	36,9	0,454	E
Lamborghini	CRONO 75	no asignado	SDFI 1000.3WTI1E3	4RM, 40 km/h, 15+15	48,2	0,325	A
Lamborghini	R6.170 VRT	no asignado	DEUTZ TCD2012L06 4V Code C3CT124	4RM, 40 km/h, continuo	96,9	0,328	A
Lamborghini	R6.190 VRT	no asignado	DEUTZ TCD2012L06 4V Code C3CT163	4RM, 40 km/h, continuo	118,9	0,311	A
Lamborghini	RF.80 TARGET	no asignado	SDFI 1000.3WTI2E3	4RM, 40 km/h, 30+15	55,1	0,339	A
Lamborghini	R6.175	no asignado	DEUTZ TCD2012L06 4V Code C3CT129	4RM, 40 km/h, 40+40	102,2	0,357	B
Lamborghini	R8.270	no asignado	DEUTZ TCD2013L06 4V Code C3CT191	4RM, 40 km/h, 40+40	160,3	0,332	B
Lamborghini	RF.100	no asignado	SDFI 1000.4WTI2E3	4RM, 40 km/h, 30+15	58,7	0,364	B
Lamborghini	R3 EVO 100 DT	no asignado	DEUTZ BF4M2012 Code CE 71T	4RM, 40 km/h, 40+40	57,76	0,389	C
Lamborghini	R6.110	no asignado	DEUTZ BF6M2012C Code 79T	4RM, 40 km/h, 24+8	71,87	0,375	C
Lamborghini	R6.185	no asignado	DEUTZ TCD2012L06 4V Code C3CT135	4RM, 40 km/h, 40+40	111,1	0,362	C
Lamborghini	R8.230	no asignado	DEUTZ TCD2013L06 4V Code C3CT179	4RM, 40 km/h, 40+40	151,1	0,359	C
Lamborghini	RS.90	no asignado	SDFI 1000.4WTI1E3	4RM, 40 km/h, 30+15	51,8	0,389	C
Lamborghini	R3 100 TB	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62	0,397	D
Lamborghini	R3 EVO 100 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62,9	0,392	D
Lamborghini	R3 EVO 110 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT74	4RM, 40 km/h, 20+20	63,4	0,395	D
Lamborghini	R6.110	no asignado	DEUTZ TCD2012L04 2V Code C3MT82	4RM, 40 km/h, 36+12	71,1	0,390	D
Lamborghini	R6.125	no asignado	DEUTZ TCD2012L04 2V Code C3UT93	4RM, 40 km/h, 36+12	76,3	0,393	D
Lamborghini	R6.130	no asignado	DEUTZ TCD2012L06 2V Code C3UT96A	4RM, 40 km/h, 40+40	82,1	0,397	D
Lamborghini	R6.140	no asignado	DEUTZ TCD2012L06 2V Code C3UT104A	4RM, 40 km/h, 40+40	87,4	0,392	D
Lamborghini	R6.160	no asignado	DEUTZ TCD2012L06 2V Code C3UT120A	4RM, 40 km/h, 40+40	105,4	0,388	D
Lamborghini	R1.55 4WD	no asignado	MITSUBISHI S4L2-T	4RM, 30 km/h, 12+12	30,7	0,429	E
Lamborghini	R7.210	no asignado	DEUTZ TCD2013L06 2V Code C3UT157	4RM, 40 km/h, 27+27	132,8	0,399	E
Landini	8860	2-2761	PERKINS/2607/2200	4RM, 30 km/h, 12+12	49,3	0,351	B
Landini	5-090H	2-2836	PERKINS 854E-E34TA/3706/2200	4RM, 40 km/h, 36+12	61	0,356	B
Landini	5-110H	2-2834	PERKINS 854E-E34TA/3706/2200	4RM, 40 km/h, 36+12	73,5	0,364	B
Landini	5-115H	2-2832	PERKINS 854E-E34TA/3704/2200	4WD, 40 km/h, 36+12	73,5	0,349	B
Landini	REX DT 75F	2-2762	PERKINS 1104-44/2157/2200	4RM, 40 km/h, 15+15	48	0,362	B
Landini	LANDPOWER 165 T3	2-2765	FPT NEF6-F4CE9684H	4RM, 40 km/h, 18+18	104,3	0,387	D

LISTADO EFICIENCIA ENERGETICA 2014

Landini	LANDPOWER 135 T3	2-2764	FPT NEF6-F4CE9684P	4RM, 40 km/h, 18+18	91,5	0,419	E
Mahindra	6500 4WD	2-2388	MAHINDRA NE 462	4RM, 40 km/h, 8+8	42,6	0,333	A
Massey Ferguson	6490	2-2200	SISU DIESEL 66.254 ETA	4RM, 40 km/h, 32+32	104,9	0,333	A
Massey Ferguson	6495	2-2202	SISU DIESEL 66.253 ETA	4RM, 40 km/h, 32+32	116,4	0,329	A
Massey Ferguson	7616	2-2789	AGCO POWER 66 AWI 694	4RM, 40 km/h, 24+24	94	0,336	A
Massey Ferguson	7618	2-2788	AGCO POWER 66 AWI 696	4RM, 40 km/h, 24+24	105,2	0,329	A
Massey Ferguson	7619	2-2703	SISU AGCO POWER 66 AWI 769	4RM, 40 km/h, continuo	113	0,319	A
Massey Ferguson	7619	2-2758	SISU AGCO POWER 66 AWI 697	4RM, 40 km/h, 24+24	108,5	0,329	A
Massey Ferguson	7620	2-2704	SISU AGCO POWER 66 AWI 770	4RM, 40 km/h, continuo	121	0,313	A
Massey Ferguson	7620	2-2756	SISU AGCO POWER 66 AWI 698	4RM, 40 km/h, 24+24	116,9	0,320	A
Massey Ferguson	7622	2-2705	SISU AGCO POWER 66 AWI 699	4RM, 40 km/h, continuo	131,8	0,305	A
Massey Ferguson	7624	2-2706	SISU AGCO POWER 74 AWI 690	4RM, 40 km/h, continuo	139,8	0,295	A
Massey Ferguson	7624	2-2757	SISU AGCO POWER 74 AWI 691	4RM, 40 km/h, 24+24	138,7	0,318	A
Massey Ferguson	7626	2-2755	SISU AGCO POWER 74 AWI 692	4RM, 40 km/h, 24+24	153,5	0,309	A
Massey Ferguson	8650	2-2716	SISU 84.AWI.655	4RM, 40 km/h, continuo	160,99	0,316	A
Massey Ferguson	8660	2-2719	SISU 84.AWI.656	4RM, 40 km/h, continuo	177,06	0,311	A
Massey Ferguson	8670	2-2720	SISU 84.AWI.657	4RM, 40 km/h, continuo	195,91	0,310	A
Massey Ferguson	8680	2-2721	SISU 84.AWI.658	4RM, 40 km/h, continuo	216,39	0,309	A
Massey Ferguson	8690	2-2722	SISU 84.AWI.659	4RM, 40 km/h, continuo	227,7	0,311	A
Massey Ferguson	7616 DynaVT	2-2773	AGCO POWER 66 AWI 810	4RM, 40 km/h, continuo	96,1	0,335	A
Massey Ferguson	7618 DynaVT	2-2775	AGCO POWER 66 AWI 695	4RM, 40 km/h, continuo	102,1	0,333	A
Massey Ferguson	MF 6470	2-2529	SISU DIESEL 44.435 CWA-4V	4RM, 40 km/h, 24+24	82,6	0,328	A
Massey Ferguson	MF 6497	2-2296	SISU DIESEL 66.253 ETA	4RM, 40 km/h, 32+32	116,6	0,312	A
Massey Ferguson	MF 7495	2-2198-1	SISU DIESEL 66.253 ETA	4RM, 40 km/h, continuo	117,1	0,327	A
Massey Ferguson	MF 8450	2-2321	SISU DIESEL 74.288 ETA	4RM, 40 km/h, continuo	139,1	0,311	A
Massey Ferguson	MF 8650	2-2496	SISU 84.534 CTA-4V, SCR	4RM, 40 km/h, continuo	158,6	0,309	A
Massey Ferguson	MF 8660	2-2497	SISU 84.535 CTA-4V, SCR	4RM, 40 km/h, continuo	174,5	0,303	A
Massey Ferguson	MF 8670	2-2498	SISU 84.536 CTA-4V, SCR	4RM, 40 km/h, continuo	191,7	0,297	A
Massey Ferguson	MF 8680	2-2499	SISU 84.537 CTA-4V, SCR	4RM, 40 km/h, continuo	209,7	0,299	A
Massey Ferguson	MF 8690	2-2500	SISU 84.583 CTA-4V, SCR	4RM, 40 km/h, continuo	220,1	0,297	A
Massey Ferguson	6485	2-2217	SISU DIESEL 66.255 ETA	4RM, 40 km/h, 32+32	94,3	0,349	B
Massey Ferguson	6490	2-2395	SISU DIESEL 66.402 CTA - 4V	4RM, 40 km/h, 24+24	114,7	0,359	B
Massey Ferguson	7614	2-2754	SISU AGCO POWER 66 AWI 813	4RM, 40 km/h, 16+16	90,4	0,343	B
Massey Ferguson	7615	2-2753	SISU AGCO POWER 66 AWI 811	4RM, 40 km/h, 16+16	94,8	0,338	B
Massey Ferguson	7615	2-2791	AGCO POWER 66 AWI 693	4RM, 40 km/h, 24+24	88,9	0,344	B
Massey Ferguson	6475 4RM	2-2211	PERKINS 1106C-E60 TA	4RM, 40 km/h, 32+32	79	0,357	B
Massey Ferguson	6615 DynaVT	2-2794	AGCO POWER 49 AWI 895	4RM, 40 km/h, continuo	89,3	0,341	B
Massey Ferguson	6616 DynaVT	2-2792	AGCO POWER 49 AWI 893	4RM, 40 km/h, continuo	95,1	0,340	B
Massey Ferguson	7615 DynaVT	2-2774	AGCO POWER 66 AWI 812	4RM, 40 km/h, continuo	90,3	0,341	B
Massey Ferguson	MF 5425 4RM	2-2532	PERKINS 1104D-44TA (3055/2200)	4RM, 40 km/h, 16+16	57,2	0,356	B
Massey Ferguson	MF 5435 4RM	2-2538	PERKINS 1104D-44TA (3499/2200)	4RM, 40 km/h, 16+16	63,6	0,364	B
Massey Ferguson	MF 5470 2RM	2-2358	SISU 44.341 DTA	2RM, 40 km/h, 16+16	80,5	0,351	B
Massey Ferguson	MF 5470 4RM	2-2359	SISU 44.341 DTA	4RM, 40 km/h, 16+16	80,5	0,346	B
Massey Ferguson	MF 6455 2RM	2-2304	PERKINS 1104C-44T (2359/2200)	2RM, 40 km/h, 32+32	60,2	0,363	B
Massey Ferguson	MF 6455 4RM	2-2303	PERKINS 1104C-44T (2359/2200)	4RM, 40 km/h, 32+32	60,2	0,375	B
Massey Ferguson	MF 6495	2-2517	SISU DIESEL 66.393 CTA-4V	4RM, 40 km/h, 24+24	123,6	0,340	B
Massey Ferguson	MF 6499	2-2298	SISU DIESEL 74.286 ETA	4RM, 40 km/h, 32+32	136,6	0,328	B
Massey Ferguson	MF 6499	2-2390	SISU DIESEL 74.392 CTA - 4V	4RM, 40 km/h, 24+24	141,6	0,339	B

LISTADO EFICIENCIA ENERGETICA 2014

Massey Ferguson	MF 7465	2-2578	SISU AGCO POWER 66.633 CTA-4V	4RM, 40 km/h, continuo	80,4	0,351	B
Massey Ferguson	MF 7475	2-2579	SISU AGCO POWER 66.433 CTA-4V	4RM, 40 km/h, continuo	86,1	0,343	B
Massey Ferguson	MF 7480	2-2580	SISU AGCO POWER 66.430 CTA-4V	4RM, 40 km/h, continuo	94,5	0,339	B
Massey Ferguson	MF 7480	2-2195-1	PERKINS 1106C-E60 TA (2366/2200)	4RM, 40 km/h, continuo	86,7	0,357	B
Massey Ferguson	MF 7485	2-2419	SISU DIESEL 66.403 CTA-4V	4RM, 40 km/h, continuo	108,5	0,342	B
Massey Ferguson	MF 7485	2-2196-1	SISU DIESEL 66.253 ETA	4RM, 40 km/h, continuo	95,4	0,343	B
Massey Ferguson	MF 7490	2-2420	SISU DIESEL 66.402 CTA-4V	4RM, 40 km/h, continuo	114,7	0,344	B
Massey Ferguson	MF 7495	2-2421	SISU DIESEL 66.393 CTA-4V	4RM, 40 km/h, continuo	121,2	0,333	B
Massey Ferguson	MF 8460	2-2322	SISU DIESEL 74.288 ETA	4RM, 40 km/h, continuo	153,4	0,323	B
Massey Ferguson	MF 8470	2-2323	SISU DIESEL 74.329 ETA	4RM, 40 km/h, continuo	170,4	0,335	B
Massey Ferguson	MF 8480	2-2324	SISU DIESEL 74.329 ETA	4RM, 40 km/h, continuo	183,7	0,330	B
Massey Ferguson	MF 8650	2-2557	SISU 84.531 CTA-4V	4RM, 40 km/h, continuo	161,2	0,332	B
Massey Ferguson	MF 8660	2-2560	SISU 84.532 CTA-4V	4RM, 40 km/h, continuo	177,5	0,331	B
Massey Ferguson	MF 8670	2-2558	SISU 84.533 CTA-4V	4RM, 40 km/h, continuo	189,4	0,331	B
Massey Ferguson	MF 8680	2-2559	SISU 84.449 CTA-4V	4RM, 40 km/h, continuo	210,8	0,332	B
Massey Ferguson	5612	2-2825	AGGO POWER 44 AWIC 905	4RM, 40 km/h, 16+16	71,3	0,374	C
Massey Ferguson	5613	2-2824	AGGO POWER 44 AWIC 904	4RM, 40 km/h, 16+16	79	0,368	C
Massey Ferguson	6485	2-2394	SISU DIESEL 66.403 CTA - 4V	4RM, 40 km/h, 24+24	108,7	0,361	C
Massey Ferguson	8270	2-1988	SISU DIESEL 645 DSBAE	4RM, 40 km/h, 18+8	152,8	0,349	C
Massey Ferguson	8280	2-1987	SISU DIESEL 645 DSBAE	4RM, 40 km/h, 18+8	171,9	0,346	C
Massey Ferguson	6475 2RM	2-2210	PERKINS 1106C-E60 TA	2RM, 40 km/h, 32+32	79	0,377	C
Massey Ferguson	6614 DynaVT	2-2793	AGGO POWER 49 AWI 898	4RM, 40 km/h, continuo	82	0,380	C
Massey Ferguson	MF 5455 2RM	2-2289	PERKINS 1104C-44T (2359/2200)	2RM, 40 km/h, 16+16	59,4	0,376	C
Massey Ferguson	MF 5465 2RM	2-2111	PERKINS 2362/2200	2RM, 40 km/h, 16+16	72,9	0,383	C
Massey Ferguson	MF 5465 4RM	2-2110	PERKINS 2362/2200	4RM, 40 km/h, 16+16	72,9	0,381	C
Massey Ferguson	MF 5470	2-2531	SISU DIESEL 44.435 CWA-4V	4RM, 40 km/h, 16+16	84	0,370	C
Massey Ferguson	MF 5475	2-2539	PERKINS 1106D-E66TA (3392/2200)	4RM, 40 km/h, 16+16	88,6	0,382	C
Massey Ferguson	MF 5480	2-2523	SISU DIESEL 49.432 CWA-4V	4RM, 40 km/h, 16+16	90,4	0,378	C
Massey Ferguson	MF 6460 4RM	2-2255	PERKINS 1104C-E44TA (2295/2200)	4RM, 40 km/h, 32+32	67,6	0,370	C
Massey Ferguson	MF 6465	2-2574	SISU AGCO POWER 66.633 CTA - 4V	4RM, 40 km/h, 24+24	79,4	0,364	C
Massey Ferguson	MF 6470 4RM	2-2257	PERKINS 1104C-E44TA (2411/2200)	4RM, 40 km/h, 32+32	75,2	0,368	C
Massey Ferguson	MF 6475	2-2546	PERKINS 1106D-E66TA (3388/2200)	4RM, 40 km/h, 24+24	94,1	0,363	C
Massey Ferguson	MF 6480	2-2577	PERKINS 1106D-E66TA (3390/2200)	4RM, 40 km/h, 24+24	98,8	0,372	C
Massey Ferguson	MF 6480	2-2536-1	PERKINS 1106D-E66TA (3390/2200)	4RM, 40 km/h, 24+24	98,8	0,370	C
Massey Ferguson	MF 6480 4RM	2-2223	PERKINS 1106C-E60 TA	4RM, 40 km/h, 32+32	86,3	0,377	C
Massey Ferguson	MF 6497	2-2389	SISU DIESEL 74.398 CTA - 4V	4RM, 40 km/h, 24+24	136	0,363	C
Massey Ferguson	MF 7475	2-2431	PERKINS 1106D-E66 TA (3390/2200)	4RM, 40 km/h, continuo	95,7	0,360	C
Massey Ferguson	MF 7480	2-2432	PERKINS 1106D-E66TA (3394/2200)	4RM, 40 km/h, continuo	97,6	0,368	C
Massey Ferguson	5611	2-2826	AGGO POWER 44 AWIC 906	4RM, 40 km/h, 16+16	64,3	0,404	D
Massey Ferguson	MF 5435 2RM	2-2275	PERKINS 1104C-44 (2151/2200)	2RM, 40 km/h, 16+16	45,5	0,397	D
Massey Ferguson	MF 5455 4RM	2-2288	PERKINS 1104C-44T (2359/2200)	4RM, 40 km/h, 16+16	59,4	0,399	D
Massey Ferguson	MF 5460 2RM	2-2270	PERKINS 1104C-44 T (2173/2200)	2RM, 40 km/h, 16+16	67,7	0,397	D
Massey Ferguson	MF 5460 4RM	2-2527	PERKINS 1104D-E44TA (2365/2200)	4RM, 40 km/h, 16+16	76,4	0,402	D
Massey Ferguson	MF 5465 4RM	2-2518	PERKINS 1106D-E44TA (2536/2200)	4RM, 40 km/h, 16+16	77,7	0,404	D
Massey Ferguson	MF 6445 2RM	2-2302	PERKINS 1104C-44T (2165/2200)	2RM, 40 km/h, 32+32	52,7	0,406	D
Massey Ferguson	MF 6445 4RM	2-2301	PERKINS 1104C-44T (2165/2200)	4RM, 40 km/h, 32+32	52,7	0,407	D
Massey Ferguson	MF 6445 4RM	2-2575	PERKINS 1104D-E44TA (3261/2200)	4RM, 40 km/h, 24+24	61,4	0,412	D
Massey Ferguson	MF 6455	2-2576	PERKINS 1104D-E44TA (3263/2200)	4RM, 40 km/h, 24+24	70,5	0,403	D

LISTADO EFICIENCIA ENERGETICA 2014

Massey Ferguson	MF 6460 2RM	2-2254	PERKINS 1104C-E44TA (2295/2000)	2RM, 40 km/h, 32+32	67,6	0,390	D
Massey Ferguson	MF 6465 4RM	2-2152	PERKINS 1106C-E60 TA	4RM, 40 km/h, 32+32	72,1	0,400	D
Massey Ferguson	MF 6470 2RM	2-2256	PERKINS 1104C-E44TA (2411/2200)	2RM, 40 km/h, 32+32	75,2	0,387	D
Massey Ferguson	MF 6480 2RM	2-2222	PERKINS 1106C-E60 TA	2RM, 40 km/h, 32+32	86,3	0,396	D
Massey Ferguson	MF 7465	2-2193	PERKINS 1106C-E60 TA (2366/2200)	4RM, 40 km/h, continuo	72,1	0,394	D
Massey Ferguson	MF 7465	2-2430	PERKINS 1106D-E66 TA (2536/2200)	4RM, 40 km/h, continuo	77,2	0,387	D
Massey Ferguson	MF 7475	2-2194	PERKINS 1106C-E60 TA (2366/2200)	4RM, 40 km/h, continuo	79,6	0,386	D
Massey Ferguson	MF 7490	2-2197	SISU DIESEL 66.253 ETA	4RM, 40 km/h, continuo	106,8	0,378	D
Massey Ferguson	MF 5425 2RM	2-2277	PERKINS 1104C-44 (2159/2200)	2RM, 40 km/h, 16+16	41,5	0,430	E
Massey Ferguson	MF 5425 4RM	2-2276	PERKINS 1104C-44 (2159/2200)	4RM, 40 km/h, 16+16	41,5	0,430	E
Massey Ferguson	MF 5435 4RM	2-2274	PERKINS 1104C-44 (2151/2200)	4RM, 40 km/h, 16+16	44,8	0,418	E
Massey Ferguson	MF 5445 2RM	2-2291	PERKINS 1104C-44T (2165/2200)	2RM, 40 km/h, 16+16	52,1	0,419	E
Massey Ferguson	MF 5445 4RM	2-2290	PERKINS 1104C-44T (2165/2200)	4RM, 40 km/h, 16+16	52,1	0,412	E
Massey Ferguson	MF 5445 4RM	2-2515	PERKINS 1104D-E44TA (3261/2200)	4RM, 40 km/h, 16+16	58,8	0,419	E
Massey Ferguson	MF 5455 4RM	2-2516	PERKINS 1104D-E44TA (3263/2200)	4RM, 40 km/h, 16+16	69,2	0,417	E
Massey Ferguson	MF 5460 4RM	2-2269	PERKINS 1104C-44T (2173/2200)	4RM, 40 km/h, 16+16	67,1	0,433	E
Massey Ferguson	MF 6465	2-2433	PERKINS 1106D-E66 TA (2536/2200)	4RM, 40 km/h, 24+24	76,6	0,423	E
Massey Ferguson	MF 6465 2RM	2-2153	PERKINS 1106C-E60TA	2RM, 40 km/h, 32+32	72,1	0,420	E
Mc Cormick	X50.20	2-2836	PERKINS 854E-E34TA/3706/2200	4RM, 40 km/h, 36+12	61	0,356	B
Mc Cormick	X50.40	2-2834	PERKINS 854E-E34TA/3706/2200	4RM, 40 km/h, 36+12	73,5	0,364	B
Mc Cormick	X50.50	2-2832	PERKINS 854E-E34TA/3704/2200	4WD, 40 km/h,36+12	73,5	0,349	B
McCormick	F 75	2-2762	PERKINS 1104-44/2157/2200	4RM, 40 km/h, 15+15	48	0,362	B
McCormick	G165 MAX	2-2765	FPT NEF6-F4CE9684H	4RM, 40 km/h, 18+18	104,3	0,387	D
New Holland	T4.85 N 4WD	no asignado	FPT Industrial F5AE9484G	4RM, 40 km/h, 16+16	59,2	0,323	A
New Holland	T4.95 F 4WD	no asignado	CNH 445TA/MND	4RM, 40 km/h, 32+16	62	0,319	A
New Holland	T4050 4WD	no asignado	CNH 445TA/MND	4RM, 40 km/h, 28+16	59,1	0,336	A
New Holland	T4050 F 4WD	no asignado	CNH 445TA/MND	4RM, 40 km/h, 16+16	62	0,319	A
New Holland	T6.160	2-2694	CNH F4DFE413A	4RM, 50 km/h, 17+6	90,7	0,326	A
New Holland	T7.185	2-2649	IVECO F4DFE613C	4RM, 40 km/h, 19+6	96,1	0,321	A
New Holland	T7.200	2-2651	IVECO F4DFE613A	4RM, 40 km/h, 18+6	110,3	0,322	A
New Holland	T7.220	2-2607	IVECO F4DFE613L	4RM, 50 km/h, 19+6	112,5	0,325	A
New Holland	T7.235	2-2612	IVECO F4DFE613K	4RM, 40 km/h, 19+6	123,4	0,317	A
New Holland	T7.250	2-2614	IVECO F4DFE613J	4RM, 50 km/h, 19+6	132	0,321	A
New Holland	T7.260	2-2626	IVECO F4DFE613H	4RM, 40 km/h, 19+6	142,9	0,305	A
New Holland	T7.270	2-2647	IVECCO F4DFE613G	4RM, 50 km/h, continuo	146,1	0,327	A
New Holland	T8.330	2-2713	FPT Cursor 9L	4RM, 40 km/h, 19+4	185,26	0,316	A
New Holland	T8.360	2-2712	FPT Cursor 9L	4RM, 40 km/h, 19+4	202,42	0,312	A
New Holland	T9.390	2-2725	FPT Cursor 9L	4RM, 40 km/h, 16+2	229,45	0,297	A
New Holland	TD 90 D 2WD	2-2177	IVECO 8045.25	2RM, 30 km/h, 12+12	64,2	0,332	A
New Holland	TD 90 D 4WD	2-2192	IVECO 8045.25	4RM, 40 km/h, 12+12	64,2	0,335	A
New Holland	TD 95 D 2WD	2-2191	IVECO 8045.25 L	2RM, 30 km/h, 12+12	67	0,314	A
New Holland	TD 95 D 4WD	2-2172	IVECO 8045.25L	4RM, 30 km/h, 12+12	67	0,314	A
New Holland	TD 95 D 4WD	2-2173	IVECO 8045.25 L	4RM, 30 km/h, 12+12	67	0,318	A
New Holland	TD5.95 4WD	2-2510	CNH 445TA/MNE	4RM, 30 km/h, 12+12	60,2	0,333	A
New Holland	TD5040 4WD	2-2509	CNH 445TA/MNF	4RM, 30 km/h, 12+12	54,2	0,329	A
New Holland	TD5050 4WD	2-2510	CNH 445TA/MNE	4RM, 30 km/h, 12+12	60,2	0,333	A
New Holland	TN 75 DA	no asignado	IVECO 8035.25	4RM, 40 km/h, 16+16	46,4	0,341	A
New Holland	TN 75 DA 2WD	no asignado	IVECO 8035.25	2RM, 30 km/h, 16+16	46,4	0,342	A

LISTADO EFICIENCIA ENERGETICA 2014

New Holland	T4.85	2-2830	FPT Industrial F5DFL413L	4RM, 40 km/h, 12+12	53,2	0,360	B
New Holland	T4050 4WD	2-2457	IVECO F4CE9484M	4RM, 40 km/h, 16+16	66,9	0,348	B
New Holland	T4050 4WD	2-2460	IVECO F4CE9484M	4RM, 40 km/h, 12+12	66,9	0,355	B
New Holland	T5.105	no asignado	CNH F5DFL413J*A006	4RM, 40 km/h, 16+16	67,7	0,359	B
New Holland	T5.115	no asignado	CNH F5DFL413H*A002	4RM, 40 km/h, 16+16	74,8	0,353	B
New Holland	T5060 4WD	no asignado	CNH 445TA/MLN	4RM, 40 km/h, 24+24	67,1	0,346	B
New Holland	T6.120	2-2699	CNH F4DFE413C	4RM, 40 km/h, 16+16	70,6	0,363	B
New Holland	T6.140	2-2695	CNH F4DFE413C	4RM, 40 km/h, 16+16	70,6	0,363	B
New Holland	T6.150	2-2707	CNH F4DFE413B	4RM, 40 km/h, 16+16	91,9	0,340	B
New Holland	T6.175	2-2708	CNH F4DFE6132	4RM, 50 km/h, 17+16	96,8	0,358	B
New Holland	T6020 4WD	2-2445	CNH 445TA/MLM	4RM, 40 km/h, 12+12	72	0,348	B
New Holland	T6020 4WD	2-2481	CNH 445TA/EGJ	4RM, 40 km/h, 16+16	73,8	0,360	B
New Holland	T6020 4WD	2-2488	CNH 445TA/MLM	4RM, 40 km/h, 24+24	70,7	0,361	B
New Holland	T6030 (RC)	2-2493	CNH 667TA/EDF	4RM, 40 km/h, 18+6	76,2	0,358	B
New Holland	T6030 4WD (Delta)	2-2428	CNH 667TA/MEA	4RM, 40 km/h, 16+16	83	0,357	B
New Holland	T6050 4WD (Plus)	2-2441	CNH 667TA/MEK	4RM, 40 km/h, 16+16	86,9	0,360	B
New Holland	T6060 4WD (Elite)	2-2463	CNH 445TA/EGA	4RM, 40 km/h, 16+16	82,5	0,357	B
New Holland	T6070 4WD (Elite)	2-2486	CNH 667TA/EEL	4RM, 40 km/h, 16+16	94,8	0,338	B
New Holland	T6080 4WD	no asignado	CNH 667TA/EEJ	4RM, 40 km/h, 18+6	98,3	0,344	B
New Holland	T7.170	2-2650	IVECO F4DFE613D	4RM, 40 km/h, 18+6	87,8	0,343	B
New Holland	T7.210	2-2654	IVECO F4DFE613B	4RM, 40 km/h, continuo	110,8	0,335	B
New Holland	T7040	2-2422	CNH 667TA/EBE	4RM, 40 km/h, 19+6	118,3	0,345	B
New Holland	T7040	no asignado	CNH 667TA/EBE	4RM, 40 km/h, 18+6	115,3	0,354	B
New Holland	T7060	2-2426	CNH 667TA/EBH	4RM, 40 km/h, 19+6	142	0,330	B
New Holland	T7060	no asignado	CNH 667TA/EBH	4RM, 40 km/h, 19+6	142	0,330	B
New Holland	T7550	no asignado	CNH WD620.64	4RM, 40 km/h, continuo	121	0,345	B
New Holland	T8.275	2-2710	FPT Cursor 9L	4RM, 40km/h, 19+4	148,29	0,335	B
New Holland	T8.300	2-2711	FPT Cursor 9L	4RM, 40 km/h, 19+4	164,04	0,330	B
New Holland	TD 80 D 2WD	2-2174	IVECO 8045.05R	2RM, 30 km/h, 12+12	50,1	0,350	B
New Holland	TD 90 D 4WD	2-2178	IVECO 8045.25	4RM, 30 km/h, 12+12	64,2	0,349	B
New Holland	TD110D 4WD	2-2736	TTF 8045.25D.313T	4RM, 30 km/h, 12+12	65,2	0,364	B
New Holland	TD5.115 4WD	no asignado	CNH F4CE9484C*J600	4RM, 40 km/h, 12+12	74,8	0,344	B
New Holland	TD5050	no asignado	CNH 445TA/MNE	4RM, 40 km/h, 20+12	62,3	0,347	B
New Holland	TN 60 A	no asignado	IVECO 8035.05C	2RM, 40 km/h, 16+16	37,5	0,356	B
New Holland	TN 60 A 4WD	no asignado	IVECO 8035.05C	4RM, 40 km/h, 16+16	37,5	0,361	B
New Holland	TN 60 DA	no asignado	IVECO 8035.05C	4RM, 40 km/h, 16+16	35	0,368	B
New Holland	TN 60 DA 2WD	no asignado	IVECO 8035.05C	2RM, 30 km/h, 16+16	35	0,350	B
New Holland	TN 75 A	no asignado	IVECO 8035.25	2RM, 30 km/h, 16+16	49	0,356	B
New Holland	TN 75 A 4WD	no asignado	IVECO 8035.25	4RM, 40 km/h, 16+16	49	0,354	B
New Holland	TS 125 A 4WD	2-2258	CNH F4DE0684B*D	4RM, 40 km/h, 24+24	81,6	0,358	B
New Holland	T4,115	2-2840	FPT Industrial F5DFL413H	4RM, 40 km/h, 12+12	73,6	0,383	C
New Holland	T4.105	2-2816	FPT INDUSTRIAL F5DFL413J	4RM, 40 km/h, 12+12	70,5	0,383	C
New Holland	T4020 4WD	2-2465	IVECO F5AE9484A	4RM, 40 km/h, 16+16	43,8	0,377	C
New Holland	T4020 4WD	2-2466	IVECO F5AE9484A	4RM, 40 km/h, 12+12	43,8	0,377	C
New Holland	T4040 4WD	2-2476	IVECO F4AE9484N	4RM, 40 km/h, 16+16	56,2	0,378	C
New Holland	T4040 4WD	2-2477	IVECO F4AE9484N	4RM, 40 km/h, 12+12	56,1	0,381	C
New Holland	T5.95	2-2806	FPT Industrial F5DFL413K	4RM, 30 km/h, 12+12	66,8	0,376	C
New Holland	T6.155	2-2696	CNH F4DFE613F	4RM, 40 km/h, 24+24	80,6	0,367	C

LISTADO EFICIENCIA ENERGETICA 2014

New Holland	T6.165	2-2714	CNH F4DFE613E	4RM, 40 km/h, 17+16	81,1	0,375	C
New Holland	T6010 4WD	no asignado	CNH 445T/MMM	4RM, 40 km/h, 16+16	64,1	0,377	C
New Holland	T6030 4WD (Elite)	2-2484	CNH 667TA/EDF	4RM, 40 km/h, 16+16	73,5	0,372	C
New Holland	T6030 4WD (Plus)	2-2443	CNH 667TA/MEA	4RM, 40 km/h, 16+16	80,4	0,366	C
New Holland	T6040 4WD (Elite)	2-2462	CNH 445TA/EGK	4RM, 40 km/h, 17+16	76	0,368	C
New Holland	T6050 4WD (Delta)	2-2442-1	CNH 667TA/MEK	4RM, 40 km/h, 16+16	85,6	0,365	C
New Holland	T6050 4WD (Elite)	2-2485	CNH 667TA/EDD	4RM, 40 km/h, 17+16	82	0,365	C
New Holland	T6050 4WD (PC)	no asignado	CNH 667TA/EDD	4RM, 40 km/h, 18+6	84,3	0,372	C
New Holland	T6070 4WD (RC)	2-2472	CNH 667TA/EEK	4RM, 40 km/h, 19+6	90,6	0,363	C
New Holland	T6080 4WD (PC)	2-2494	CNH 667TA/EEJ	4RM, 50 km/h, 19+6	101,5	0,369	C
New Holland	T7030	no asignado	CNH 667TA/EBN	4RM, 40 km/h, 18+6	105,9	0,360	C
New Holland	T7050	2-2424	CNH 667TA/EBC	4RM, 50 km/h, 19+6	127,7	0,358	C
New Holland	TD 80 D 4WD	2-2175	IVECO 8045.05R	4RM, 30 km/h, 12+12	50,1	0,359	C
New Holland	TD 80 D 4WD	2-2176	IVECO 8045.05R	4RM, 40 km/h, 12+12	50,1	0,372	C
New Holland	TL 100 A 2WD	no asignado	CNH F4CE0454D*D681	2RM, 30 km/h, 12+12	65	0,388	C
New Holland	TL 100 A 4WD	no asignado	CNH F4CE0454D*D681	4RM, 30 km/h, 12+12	65,3	0,384	C
New Holland	TL 80 A 4WD	no asignado	CNH F4CE0404C*D681	4RM, 30 km/h, 12+12	52,3	0,386	C
New Holland	TS 135 A 4WD	2-2203	CNH F4DE0684A*D	4RM, 30 km/h, 16+16	85,4	0,373	C
New Holland	T 8030	no asignado	CNH 6TAA-8304	4RM, 40 km/h, 19+4	168,36	0,381	D
New Holland	T 8040	no asignado	CNH 6TAA-8304	4RM, 40 km/h, 19+4	191,81	0,380	D
New Holland	T4.95	2-2812	FPT Industrial F5DFL413K	4RM, 40 km/h, 12+12	61,8	0,409	D
New Holland	T4030 4WD	2-2454	IVECO F4AE9484B	4RM, 40 km/h, 12+12	49,5	0,402	D
New Holland	T4030 4WD	2-2455	IVECO F4AE9484B	4RM, 40 km/h, 16+16	48,9	0,400	D
New Holland	T5050 4WD	no asignado	CNH 445TA/MND	4RM, 40 km/h, 12+12	59,9	0,397	D
New Holland	T6070 4WD (Plus)	2-2450	CNH 667TA/MEJ	4RM, 50 km/h, 17+16	95,5	0,387	D
New Holland	T 8020	no asignado	CNH 6TAA-8304	4RM, 40 km/h, 19+4	151,57	0,408	E
New Holland	T4.75	2-2749	FPT Industrial F5AE9454K	2RM, 30 km/h, 8+8	46,9	0,484	E
New Holland	T6010 4WD	2-2464	CNH 445TA/MMM	4RM, 40 km/h, 24+24	66,2	0,417	E
New Holland	T7030	2-2409	CNH 667TA/EBN	4RM, 50 km/h, 19+6	104,2	0,402	E
New Holland	TL 80 A 2WD	no asignado	CNH F4CE0404C*D681	2RM, 30 km/h, 12+12	53,3	0,425	E
New Holland	TL 90 A 2WD	no asignado	CNH F4CE0454E*D681	2RM, 30 km/h, 12+12	61,8	0,437	E
New Holland	TL 90 A 4WD	no asignado	CNH F4CE0454E*D681	4RM, 40 km/h, 12+12	60,6	0,430	E
Same	ARGON3 75	no asignado	SDFI 1000.3WTI1E3	4RM, 40 km/h, 15+15	48,2	0,325	A
Same	FRUTTETO 3 80 CLASSIC	no asignado	SDFI 1000.3WTI2E3	4RM, 40 km/h, 30+15	55,1	0,339	A
Same	IRON 170 CONTINUO	no asignado	DEUTZ TCD2012L06 4V Code C3CT124	4RM, 40 km/h, continuo	96,9	0,328	A
Same	IRON 190 CONTINUO	no asignado	DEUTZ TCD2012L06 4V Code C3CT163	4RM, 40 km/h, continuo	118,9	0,311	A
Same	Diamond 270	no asignado	DEUTZ TCD2013L06 4V Code C3CT191	4RM, 40 km/h, 40+40	160,3	0,332	B
Same	FRUTTETO 3 100	no asignado	SDFI 1000.4WTI2E3	4RM, 40 km/h, 30+15	58,7	0,364	B
Same	Iron 175	no asignado	DEUTZ TCD2012L06 4V Code C3CT129	4RM, 40 km/h, 40+40	102,2	0,357	B
Same	Diamond 230	no asignado	DEUTZ TCD2013L06 4V Code C3CT179	4RM, 40 km/h, 40+40	151,1	0,359	C
Same	Explorer 3 100 DT	no asignado	DEUTZ BF4M2012 Code CE 71T	4RM, 40 km/h, 40+40	57,76	0,389	C
Same	Frutteto 3 S 90	no asignado	SDFI 1000.4WTI1E3	4RM, 40 km/h, 30+15	51,8	0,389	C
Same	Iron 110	no asignado	DEUTZ BF6M2012C Code 79T	4RM, 40 km/h, 24+8	71,87	0,375	C
Same	Iron 185	no asignado	DEUTZ TCD2012L06 4V Code C3CT135	4RM, 40 km/h, 40+40	111,1	0,362	C
Same	Explorer 3 100 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62,9	0,392	D
Same	Explorer 3 100 TB	no asignado	DEUTZ TCD2012L04 2V Code C3MT72	4RM, 40 km/h, 20+20	62	0,397	D
Same	Explorer 3 110 DT	no asignado	DEUTZ TCD2012L04 2V Code C3MT74	4RM, 40 km/h, 20+20	63,4	0,392	D
Same	Iron 110	no asignado	DEUTZ TCD2012L04 2V Code C3MT82	4RM, 40 km/h, 36+12	71,1	0,390	D

LISTADO EFICIENCIA ENERGETICA 2014

Same	Iron 125	no asignado	DEUTZ TCD2012L04 2V Code C3UT93	4RM, 40 km/h, 36+12	76,3	0,393	D
Same	Iron 130	no asignado	DEUTZ TCD2012L06 2V Code C3UT96A	4RM, 40 km/h, 40+40	82,1	0,397	D
Same	Iron 140	no asignado	DEUTZ TCD2012L06 2V Code C3UT104A	4RM, 40 km/h, 40+40	87,4	0,392	D
Same	Iron 160	no asignado	DEUTZ TCD2012L06 2V Code C3UT120A	4RM, 40 km/h, 40+40	105,4	0,388	D
Same	Iron 210	no asignado	DEUTZ TCD2013L06 2V Code C3UT157	4RM, 40 km/h, 27+27	132,8	0,399	E
Same	Solaris 55 4WD	no asignado	mitsubishi S4L2-T	4RM, 30 km/h, 12+12	30,7	0,429	E
Steyr	6125 Profi 4WD	2-2260	CNH F4DE0684B*D	4RM, 40 km/h, 24+24	81,6	0,354	B
Steyr	6135 Profi 4WD	2-2205	CNH F4DE0684A*D	4RM, 30 km/h, 16+16	85,4	0,354	B
Steyr	4100 Profi 4WD	2-2243	CNH F4CE0484B*D	4RM, 40 km/h, 12+12	64,8	0,398	D
Steyr	4115 Profi 4WD	2-2246	CNH F4DE0484A*D	4RM, 40 km/h, 16+16	76,7	0,391	D
Steyr	6115 Profi 4WD	2-2229	CNH F4CE0684C*D	4RM, 40 km/h, 24+24	75,3	0,396	D
TONG YANG	T723 (4WD)	2-2566	PERKINS 1103C-33T	4RM, 30 km/h, 24+24	42,4	0,400	D
TONG YANG	T603 (4WD)	2-2570	PERKINS 404D-22T	4RM, 30 km/h, 24+24	34,3	0,427	E
YTO	YTO-454	2-2399	ZHEJIANG XINCHAI POWER 495BT	4RM, 30 km/h, 8+4	29,62	0,368	B
YTO	YTO-354	2-2398	DONGFANGHONG YTR2108T51	4RM, 30 km/h, 8+4	23,64	0,391	C
YTO	YTO-404	2-2356	DONGFANGHONG YTR3105T51SA	4RM, 40 km/h, 8+4	28,27	0,392	C
YTO	YTO-504	2-2400	DONGFANGHONG YTR4105T54SA	4RM, 30 km/h, 8+4	33,65	0,395	C
YTO	YTO-X904	2-2357	DONGFANGHONG LR4105ZT55	4RM, 30 km/h, 12+4	60,23	0,381	C
YTO	X804	2-2368	DONGFANGHONG 4MBT-77E	4RM, 30 km/h, 12+4	48,61	0,404	D
YTO	YTO-304	2-2397	DONGFANGHONG YTR2105T51SA	4RM, 30 km/h, 8+4	20,23	0,427	E
Zetor	11441 Forterra	2-2012	ZETOR 1403	4RM, 40 km/h, 24+18	70,4	0,356	B
Zetor	11741 Forterra	2-2034	SAME DEUTZ-FAHR GROUP 1000.6 WT1	4RM, 40 km/h, 24+18	80	0,352	B
Zetor	105 41 Proxima plus	2-2360	ZETOR 1304	4RM, 40 km/h, 16+16	70,2	0,381	C
Zetor	6441 Proxima	2-2133	ZETOR 7204	4RM, 40 km/h, 20+4	39,7	0,381	C
Zetor	8421 Proxima	2-2101	ZETOR 1204	2RM, 30 km/h, 20+4	57,3	0,376	C
Zetor	8441 Proxima	2-2102	ZETOR 1204	4RM, 40 km/h, 20+4	57,7	0,384	C
Zetor	7421 Proxima	2-2115	ZETOR 1104	2RM, 30 km/h, 12+12	50,3	0,396	D
Zetor	7441 Proxima	2-2117	ZETOR 1104	4RM, 40 km/h, 12+12	50,3	0,396	D
Zetor	8641 Forterra	2-1796-1	ZETOR 1203	4RM, 40 km/h, 24+18	53,4	0,389	D
Zetor	7441 Proxima	2-2116	ZETOR 1104	4RM, 30 km/h, 10+2	50,3	0,402	E